ELSEVIER

Journal of Alloys and Compounds 287 (1999) 295

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 287

Akiyama, T., 98
Ananthapadmanabhan, P.V., 121, 126
Antic-Fidancev, E., 71
Aono, H., 150

Babizhets'ky, V., 174
Bakker, H., 256
Balatsky, A.V., 1
Bauer, J., 174
Becker, J.D., 1
Ben Salah, A., 114
Bertheville, B., L4
Bortz, M., L4
Böttger, G., L4
Bouhajib, A., 167, 170
Boucoudina, M., 38
Braun, S., 12
Buschow, K.H.J., 51

Castanet, R., 167, 170
Chandrasekhar, A.V., 84
Chełkowska, G., 45
Chen, Q., 227
Chen, Z., 227
Cho, W.-S., 87
Ciureanu, M., 251
Corbel, G., 71

Darriet, J., 25
de Boer, F.R., 256
de Vidales, J.L.M., 276
Députier, S., 174
Docheva, P., 239

Ebel, Th., 32
El Feki, H., 114
Endo, T., 145
Eriksson, O., 1

Fang, Z., 234
Faria, R.N., L10
Fernández Guillermet, A., 6
Fjellvåg, H., 189
Freti, N., 239
Fruchart, D., 38

Garcés, J.E., 6
Gignoux, D., 38
Glowyak, T., 181
Grad, G.B., 6
Grasset, F., 25
Grushko, B., 12
Gschneidner Jr., K.A., 67
Guérin, R., 174
Guo, L., 109
Gupta, M., 284

Hadjipanayis, G.C., 227
Hamada, T., 271
Harada, D., 130
Harris, I.R., L10, 206
Hasegawa, E., 150
Hauback, B.C., 189
Hiebl, K., 221
Hinatsu, Y., 130
Hofmann, M., 18, 48
Horikubi, T., 62
Hoshi, K., 256
Hu, W., 159, 234
Huang, B., 159

Igoshi, T., 150
Isomura, A., 215

Jamalaiah, B.C., 84
Jeitschko, W., 32
Jezierski, A., 45

Kabutomori, T., 98
Kadir, K., 264
Kaiwen, Z., 195
Kakihana, M., 87
Kalychak, Y.M., 38
Kamegashira, N., 62
Kawaguchi, N., 91
Kępiński, L., 137
Kianvash, A., 206
Köster, U., 243
Koukarenko, E., 239
Krupa, J.C., 71
Krykhovets, O.V., 181
Kuznietz, M., 221
Kuz'ma, Yu.B., 163

Le Sénéchal, C., 174
Leblanc, M., 71
Leciejewicz, J., 18
Lei, Y.Q., 104
Lemaître-Blaise, M., 71
Li, L., 98
Li, M., 57
Ling, S., 284
Liping, Z., 195
Lomnytska, Ya.F., 163
López, F.A., 276
López-Delgado, A., 276

Ma, B., 227
Marchuk, O.V., 197
Matsuoka, H., 271
Matsushita, T., 271
Meyer, D.C., 12
Mohamedi, M., 91
Morimo, R.-i., 271
Morozkin, A.V., 185
Mottram, R.S., 206
Murayama, S., 256
Murphy, C.J., L7

Nadiri, A., 167, 170
Nancheva, N., 239
Ning, C., 57

Oba, N., 256
Olekseyuk, I.D., 181, 197
Otabe, E.S., 271

Parasyuk, O.V., 197
Paufler, P., 12
Pecharsky, A.O., 67
Penc, B., 18, 48

Qin, L., 57
Quinn, J., L7

Ravikumar, R.V.S.S.N., 84
Reddy, B.J., 84
Reddy, Y.P., 84
Reehuis, M., 32
Riabov, A.B., 189
Ritter, C., 51
Roberge, R., 251

Sadaoka, Y., 150
Sakai, T., 215, 264
Sakamoto, M., 150
Salamakha, P.S., L1
Sambasiva Rao, P., 84
Sato, Y., 91
Savariault, J.M., 114
Schobinger-Papamantellos, P., 51
Sferco, S.J., 6
Sha, W., L7
Sheng, X., 234
Shepelevich, V., 239
Shiwei, W., 195
Shu, K.Y., 104
Shu, X., 159, 234
Shuang, Z., 57
Skolozdra, R.V., 38
Ślaski, M., 18
Ślebarski, A., 45
Sologub, O.L., L1
Sørby, M.H., 189
Spassov, T., 243
Stępien-Damm, J., 221
Stüsser, N., 32
Sun, Y.-H., 109
Sysa, L.V., 181
Szytuła, A., 18, 48

Takahashi, K., 215
Takano, H., 256
Takenaka, Y., 271
Takizawa, H., 145
Talik, E., 45
Taylor, P.R., 121, 126
Tedenac, J.C., 239
Terao, K., 98
Traversa, E., 150
Troć, R., 221
Tsukahara, M., 215

Uehara, I., 264
Uheda, K., 145

Vassilev, G.P., 239
Vert, R., 38
Vila, E., 276

Wakeshima, M., 130
Wang, L., 234
Wang, Q.D., 104
Wang, W.-E., 79
Wang, Z.-C., 109
Wen, Y., 57
Williams, A.J., L10
Wills, J.M., 1
Wołcyrz, M., 137

Yacoubi, A., 167, 170
Yagi, J., 98
Yamamura, T., 91
Yang, J., 251
Yang, X.G., 104
Yartys, V.A., 189
Yinghong, Z., 195
Yvon, K., L4

Zakhour, M., 25
Zaremba, V., 221
Zhang, B., 159, 234
Zhang, Q.A., 104
Zhang, W.K., 104
Zhang, Y., 227
Zhao, L., 234
Zhu, W., 126

Elsevier Science S.A.
PII: S0925-8388(99)00204-2

ELSEVIER

Journal of Alloys and Compounds 287 (1999) 297–302

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 287

Activation
novel electronic configuration in ∂-Pu 1
Activation energy
crystallization study of electroless Fe–Sn–B amorphous alloy deposits 234
$Ag_2In_2GeSe_6$ compound
crystal structure of $Ag_2In_2GeSe_6$ 181
Al–Co–Ni alloys
short-range order in a thin film of decagonal Al–Co–Ni quasicrystal: calculated from a structure model and measured with EXAFS 12
Alloys
first-principles bond-length correlation for the omega structure of the 4d-transition elements 6
electrochemical study of the mechanism of formation of the surface alloy of aluminum–niobium in LiCl–KCl eutectic melt 91
investigation of the short-range order in the Ca–Sb melts 167
Aluminum
electrochemical study of the mechanism of formation of the surface alloy of aluminum–niobium in LiCl–KCl eutectic melt 91
Aluminum–silicon alloys
microstructure and mechanical properties of hypo/hyper-eutectic Al–Si alloys synthesized using a near-net shape forming technique 284
Amorphous
electrochemical behaviors of a V–Ni amorphous binary alloy 104
Amorphous alloy
hydrogenation of amorphous and nanocrystalline Mg-based alloys 243
Annealing
preparation and hydrogen storage properties of $Mg_{1-x}Ni_x$ (x=0–45 wt.%) composites 251
Anisotropic powder
high anisotropy in Pr–Fe–Co–B–Zr HDDR powders L10
Antiferromagnetic ordering
magnetic properties of RIrGe (R=Gd–Er) compounds from neutron diffraction and magnetic measurements 18
Antiferromagnetism
crystal structure and magnetic properties of the new ternary compound Ce_3MnBi_5 67
Atomic parameters
calculation and prediction for the hydriding properties of $LaNi_{5-x}M_x$ alloys 57

Ball milling
preparation and hydrogen storage properties of $Mg_{1-x}Ni_x$ (x=0–45 wt.%) composites 251
$Ba_3Ru_2O_8(O_2)$, $Ba_4Ru_2O_{10}$, $Ba_3Nb_2O_8(O_2)$, Crystal structures
synthesis, crystal structure and magnetic properties of $Ba_3Ru_2O_8(O_2)$, $Ba_3Nb_2O_8(O_2)$ and $Ba_4Ru_2O_{10}$ related to the perovskite-type structure, and structural relationships with corresponding sulfides 25
Bi–Sr–Nd–O and Bi–Sr–Lu–O systems
structure and superstructure of $BiNdSr_2O_6$ and $BiLuSr_2O_6$ by X-ray powder diffraction and electron microscopy 137
Bonding
first-principles bond-length correlation for the omega structure of the 4d-transition elements 6

Calorimetry
partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170
Carbonate
structure refinements by the Rietveld method of partially substituted hydroxyapatite: $Ca_9Na_{0.5}(PO_4)_{4.5}(CO_3)_{1.5}(OH)_2$ 114
Carbonitride
synthesis of titanium nitride in a thermal plasma reactor 126
Ca–Sb
investigation of the short-range order in the Ca–Sb melts 167
Ceramic pigment
crystallization of ceramic pigment $CoAl_2O_4$ nanocrystals from Co–Al metal organic precursor 87
$CoAl_2O_4$ nanocrystal
crystallization of ceramic pigment $CoAl_2O_4$ nanocrystals from Co–Al metal organic precursor 87
Cobalt titanium stannide
electrical resistivity in the $Co_{2-x}Pd_xTiSn$ Heusler-type alloys 45
Coercivity
densification of a $Nd_{15}Fe_{78}NbCoB_7$-type sintered magnet by (Nd, Dy)-hydride additions using a powder blending technique 206
exchange coupled $R_2(Fe,Co,Nb)_{14}B/(Fe,Co)$ (R=Nd,Pr) and $Sm_2(Fe,Co,Cr)_{17}C_2/(Fe,Co)$ nanocomposite magnets 227
high anisotropy in Pr–Fe–Co–B–Zr HDDR powders L10
Combustion synthesis
hydriding and dehydriding behavior of the product in hydriding combustion synthesis of Mg_2NiH_4 98
Composite
titanium carbide–iron composite coatings by reactive plasma spraying of ilmenite 121
Critical current
irreversibility fields in multifilamentary Nb–Ti wires 271
Cross relaxation
luminescence analysis and subsequent revision of the crystal structure of triclinic L-$EuBO_3$ 71
$CrSb_2$
a new ferromagnetic polymorph of $CrSb_2$ synthesized under high pressure 145
Crystalline feature
electrochemical behaviors of a V–Ni amorphous binary alloy 104
Crystallite size
mechanical milling of $Fe_{72}Pt_{28}$ alloy 256
Crystallization
crystallization of ceramic pigment $CoAl_2O_4$ nanocrystals from Co–Al metal organic precursor 87
hydrogenation of amorphous and nanocrystalline Mg-based alloys 243
Crystallization processes
crystallization study of electroless Fe–Sn–B amorphous alloy deposits 234

Elsevier Science S.A.
PII: S0925-8388(99)00205-4

Crystallization temperature
crystallization study of electroless Fe–Sn–B amorphous alloy deposits 234
Crystal structure(s)
luminescence analysis and subsequent revision of the crystal structure of triclinic L-$EuBO_3$ 71
crystal structure and magnetic properties of the new ternary compound Ce_3MnBi_5 67
crystal structures and magnetic properties of ordered perovskites $A_2R^{3+}Ir^{5+}O_6$ (A=Sr, Ba; R=Sc, Y, La, Lu) 130
interaction between components in the systems Zr–Mo–P and Hf–Mo–P 163
interaction of lanthanum or cerium with nickel and arsenic: phase diagrams and structural chemistry 174
crystal structure of $Ag_2In_2GeSe_6$ 181
phase equilibria in the Gd–Ti–Ge system at 1070 K 185
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice, III. Orthorhombic Zr_2FeD_x (x=1.3, 2.5 and 5.0) with partially filled Re_3B-type structure 189
formation of the alloys $UCo_{5-x}In_x$ (x=0.5 and 1) and their characterization by X-ray diffraction, magnetization, and electrical-resistivity measurements 221
structural investigation and hydrogen capacity of YMg_2Ni_9 and $(Y_{0.5}Ca_{0.5})(MgCa)Ni_9$: new phases in the AB_2C_9 system isostructural with $LaMg_2Ni_9$ 264
Crystal structure determination
new ternary rare earth–rhodium–germanides: $Ce_4Rh_{13}Ge_9$ and Ho_2RhGe_2 L1
Crystal structure refinement
structure refinements by the Rietveld method of partially substituted hydroxyapatite: $Ca_9Na_{0.5}(PO_4)_{4.5}(CO_3)_{1.5}(OH)_2$ 114
$CuAl_2$-type structure
a new ferromagnetic polymorph of $CrSb_2$ synthesized under high pressure 145
Cubic
the crystal structure of perovskites $ALaMnMoO_6$ (A=Sr, Ba) 62
$CuY_{1/3}Ba_{2/3}$-complex
preparation of $YBa_2Cu_3O_{7-\delta}$ powders by the thermal decomposition of a heteronuclear complex, $CuY_{1/3}Ba_{2/3}(dhbaen)(NO_3)_{1/3}(H_2O)_3$ 150
Cycle stability
improvement of the cycle stability of vanadium-based alloy for nickel-metal hydride (Ni–MH) battery 215
Cyclic life
electrochemical behaviors of a V–Ni amorphous binary alloy 104

Decomposition
novel electronic configuration in ∂−Pu 1
Defects
defects in $Sb_{2-x}Bi_xTe_3$ foils 239
Densification
densification of a $Nd_{13}Fe_{78}NbCoB_7$-type sintered magnet by (Nd, Dy)-hydride additions using a powder blending technique 206
Disintegrated melt deposition
microstructure and mechanical properties of hypo/hyper-eutectic Al–Si alloys synthesized using a near-net shape forming technique 284

Electrical transport
electrical resistivity in the $Co_{2-x}Pd_xTiSn$ Heusler-type alloys 45
Electrochemical reactions
corrosion and hydrogen penetration properties of electro- and electroless depositions L7
Electroless plating
crystallization study of electroless Fe–Sn–B amorphous alloy deposits 234
Electron crystallography
structure and superstructure of $BiNdSr_2O_6$ and $BiLuSr_2O_6$ by X-ray powder diffraction and electron microscopy 137
Electronic structure
electrical resistivity in the $Co_{2-x}Pd_xTiSn$ Heusler-type alloys 45
Electroreduction
electrochemical study of the mechanism of formation of the surface alloy of aluminum–niobium in LiCl–KCl eutectic melt 91
Embedded atom model
calculation of formation enthalpies and phase stability for Ru–Al alloys using an analytic embedded atom model 159
Energy density
densification of a $Nd_{13}Fe_{78}NbCoB_7$-type sintered magnet by (Nd, Dy)-hydride additions using a powder blending technique 206
Enthalpy
investigation of the short-range order in the Ca–Sb melts 167
Enthalpy of formation
calculation and prediction for the hydriding properties of $LaNi_{5-x}M_x$ alloys 57
Entropy
investigation of the short-range order in the Ca–Sb melts 167
EPR studies
optical absorption and EPR spectral studies on vanadyl doped zinc phosphate glass 84
EXAFS
short-range order in a thin film of decagonal Al–Co–Ni quasicrystal: calculated from a structure model and measured with EXAFS 12
Exchange coupling
exchange coupled $R_2(Fe,Co,Nb)_{14}B/(Fe,Co)$ (R=Nd,Pr) and $Sm_2(Fe,Co,Cr)_{17}C_x/(Fe,Co)$ nanocomposite magnets 227

$Fe_{72}Pt_{28}$
mechanical milling of $Fe_{72}Pt_{28}$ alloy 256
Ferromagnetic
a new ferromagnetic polymorph of $CrSb_2$ synthesized under high pressure 145
Ferromagnetic materials
new $RFe_{12-x}Ta_x$ compounds and their related hydrides and carbides (R=Tb to Lu, $0.5 \le x \le 0.7$) 38
Fe–Sn–B alloy deposits
crystallization study of electroless Fe–Sn–B amorphous alloy deposits 234
Flux creep
irreversibility fields in multifilamentary Nb–Ti wires 271
Formation enthalpy
calculation of formation enthalpies and phase stability for Ru–Al alloys using an analytic embedded atom model 159
Fracture
novel electronic configuration in ∂−Pu 1

Gd–Ti–Ge alloys
phase equilibria in the Gd–Ti–Ge system at 1070 K 185

HDDR treatment
high anisotropy in Pr–Fe–Co–B–Zr HDDR powders L10
H diffusion coefficient
electrochemical behaviors of a V–Ni amorphous binary alloy 104
Heteronuclear complex
preparation of $YBa_2Cu_3O_{7-\delta}$ powders by the thermal decomposition of a heteronuclear complex, $CuY_{1/3}Ba_{2/3}(dhbaen)(NO_3)_{1/3}(H_2O)_3$ 150
Heusler alloys
electrical resistivity in the $Co_{2-x}Pd_xTiSn$ Heusler-type alloys 45
Hf
partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170

High-pressure phase
structure of the high pressure phase γ-MgH_2 by neutron powder diffraction L4
High-pressure synthesis
a new ferromagnetic polymorph of $CrSb_2$ synthesized under high pressure 145
Hydride(s)
calculation and prediction for the hydriding properties of $LaNi_{5-x}M_x$ alloys 57
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice, III. Orthorhombic Zr_3FeD_x (x=1.3, 2.5 and 5.0) with partially filled Re_3B-type structure 189
Hydriding
hydriding and dehydriding behavior of the product in hydriding combustion synthesis of Mg_2NiH_4 98
Hydrogenation
novel electronic configuration in ∂−Pu 1
Hydrogen content
calculation and prediction for the hydriding properties of $LaNi_{5-x}M_x$ alloys 57
Hydrogen storage
hydrogenation of amorphous and nanocrystalline Mg-based alloys 243
preparation and hydrogen storage properties of $Mg_{1-x}Ni_x$ (x=0–45 wt.%) composites 251
Hydrogen storage alloy
hydriding and dehydriding behavior of the product in hydriding combustion synthesis of Mg_2NiH_4 98
structural investigation and hydrogen capacity of YMg_2Ni_9 and $(Y_{0.5}Ca_{0.5})(MgCa)Ni_9$: new phases in the AB_2C_9 system isostructural with $LaMg_2Ni_9$ 264
Hydroxyapatite
structure refinements by the Rietveld method of partially substituted hydroxyapatite: $Ca_9Na_{0.5}(PO_4)_{4.5}(CO_3)_{1.5}(OH)_2$ 114

Ilmenite
titanium carbide–iron composite coatings by reactive plasma spraying of ilmenite 121
Intermetallic
crystal structure and magnetic properties of the new ternary compound Ce_3MnBi_5 67
Ionic radii
crystal structure of $Ag_2In_2GeSe_6$ 181
Ir
partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170
Iron
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice, III. Orthorhombic Zr_3FeD_x (x=1.3, 2.5 and 5.0) with partially filled Re_3B-type structure 189
Isothermal section
the isothermal section (500°C) of the phase diagram of the Fe–Ho–V ternary system 195
the Cu_2Se–HgSe–$SnSe_2$ system 197

Kotani's theory
crystal structures and magnetic properties of ordered perovskites $A_2R^{3+}Ir^{5+}O_6$ (A=Sr, Ba; R=Sc, Y, La, Lu) 130

Lanthanide nickel arsenides
interaction of lanthanum or cerium with nickel and arsenic: phase diagrams and structural chemistry 174
Liquidus surface
the Cu_2Se–HgSe–$SnSe_2$ system 197
$LnAl_nCl_{3n+3}$
a comparative study for stepwise chlorinatxion–chemical vapor transport characteristics of pure rare earth oxides from Sc_2O_3 to Lu_2O_3 mediated by the vapor complexes $LnAl_nCl_{3n+3}$ 109
Long-range ordering
structure and superstructure of $BiNdSr_2O_6$ and $BiLuSr_2O_6$ by X-ray powder diffraction and electron microscopy 137
Low temperature form
luminescence analysis and subsequent revision of the crystal structure of triclinic L-$EuBO_3$ 71
Low temperature synthesis
the effect of the starting solution on the physico-chemical properties of zinc ferrite synthesized at low temperature 276
Luminescence
luminescence analysis and subsequent revision of the crystal structure of triclinic L-$EuBO_3$ 71

Magnesium alloys
hydrogenation of amorphous and nanocrystalline Mg-based alloys 243
Magnesium dihydride
structure of the high pressure phase γ-MgH_2 by neutron powder diffraction L4
Magnesium nickel
hydriding and dehydriding behavior of the product in hydriding combustion synthesis of Mg_2NiH_4 98
Magnetic ordering
formation of the alloys $UCo_{5-x}In_x$ (x=0.5 and 1) and their characterization by X-ray diffraction, magnetization, and electrical-resistivity measurements 221
Magnetic phase diagram
the (T,x) magnetic phase diagram of $TbNi_xGe_2$ (0.4<x<1) compounds. A neutron study 51
Magnetic properties
crystal structures and magnetic properties of ordered perovskites $A_2R^{3+}Ir^{5+}O_6$ (A=Sr, Ba; R=Sc, Y, La, Lu) 130
formation of the alloys $UCo_{5-x}In_x$ (x=0.5 and 1) and their characterization by X-ray diffraction, magnetization, and electrical-resistivity measurements 221
Magnetic structure
magnetic structure of HoRuGe and ErRuGe 48
Magnetic structures
antiferromagnetic order in the ternary phosphides $LnNi_2P_2$ (Ln=Tb, Dy, Ho, Er) 32
Magnetization
magnetic properties of RIrGe (R=Gd–Er) compounds from neutron diffraction and magnetic measurements 18
Martensitic transformation
mechanical milling of $Fe_{72}Pt_{28}$ alloy 256
Mechanical behavior
microstructure and mechanical properties of hypo/hyper-eutectic Al–Si alloys synthesized using a near-net shape forming technique 284
Mechanical milling
mechanical milling of $Fe_{72}Pt_{28}$ alloy 256
Melt-spinning
exchange coupled $R_2(Fe,Co,Nb)_{14}B/(Fe,Co)$ (R=Nd,Pr) and $Sm_2(Fe,Co,Cr)_{17}C_2/(Fe,Co)$ nanocomposite magnets 227
Mercury selenide
the Cu_2Se–HgSe–$SnSe_2$ system 197
Metal hydride
improvement of the cycle stability of vanadium-based alloy for nickel-metal hydride (Ni–MH) battery 215
Metals
corrosion and hydrogen penetration properties of electro- and electroless depositions L7

α-MgH_2
  structure of the high pressure phase γ-MgH_2 by neutron powder diffraction L4
γ-MgH_2
  structure of the high pressure phase γ-MgH_2 by neutron powder diffraction L4
Mg–Mg_2Ni composite
  preparation and hydrogen storage properties of $Mg_{1-x}Ni_x$ (x=0–45 wt.%) composites 251
Microstructure
  exchange coupled $R_2(Fe,Co,Nb)_{14}B$/(Fe,Co) (R=Nd,Pr) and $Sm_2(Fe,Co,Cr)_{17}C_2$/(Fe,Co) nanocomposite magnets 227
  microstructure and mechanical properties of hypo/hyper-eutectic Al–Si alloys synthesized using a near-net shape forming technique 284
Molten salts
  electrochemical study of the mechanism of formation of the surface alloy of aluminum–niobium in LiCl–KCl eutectic melt 91
Monoclinic
  the crystal structure of perovskites $ALaMnMoO_6$ (A=Sr, Ba) 62
Monovacancies
  defects in $Sb_{2-x}Bi_xTe_3$ foils 239
Multicomponent oxides
  structure and superstructure of $BiNdSr_2O_6$ and $BiLuSr_2O_6$ by X-ray powder diffraction and electron microscopy 137

Nanocomposite magnets
  exchange coupled $R_2(Fe,Co,Nb)_{14}B$/(Fe,Co) (R=Nd,Pr) and $Sm_2(Fe,Co,Cr)_{17}C_2$/(Fe,Co) nanocomposite magnets 227
Nanocrystalline
  hydrogenation of amorphous and nanocrystalline Mg-based alloys 243
  the effect of the starting solution on the physico-chemical properties of zinc ferrite synthesized at low temperature 276
Neutron diffraction
  magnetic properties of RIrGe (R=Gd–Er) compounds from neutron diffraction and magnetic measurements 18
  antiferromagnetic order in the ternary phosphides $LnNi_2P_2$ (Ln=Tb, Dy, Ho, Er) 32
  magnetic structure of HoRuGe and ErRuGe 48
Neutron powder diffraction
  structure of the high pressure phase γ-MgH_2 by neutron powder diffraction L4
Neutron study
  the (T,x) magnetic phase diagram of $TbNi_2Ge_2$ ($0.4<x<1$) compounds. A neutron study 51
Ni-MH battery
  improvement of the cycle stability of vanadium-based alloy for nickel-metal hydride (Ni–MH) battery 215
Niobium
  electrochemical study of the mechanism of formation of the surface alloy of aluminum–niobium in LiCl–KCl eutectic melt 91

Optical absorption
  optical absorption and EPR spectral studies on vanadyl doped zinc phosphate glass 84
Ordered perovskite
  crystal structures and magnetic properties of ordered perovskites $A_2R^{3+}Ir^{5+}O_6$ (A=Sr, Ba; R=Sc, Y, La, Lu) 130
Orthoborates
  luminescence analysis and subsequent revision of the crystal structure of triclinic L-$EuBO_3$ 71
Oxygen isobars
  characterization of the U–UO_2 phase diagram with oxygen isobars at high temperatures 79

Partial enthalpy
  partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170
Pentavalent iridium
  crystal structures and magnetic properties of ordered perovskites $A_2R^{3+}Ir^{5+}O_6$ (A=Sr, Ba; R=Sc, Y, La, Lu) 130
Permanant magnets
  high anisotropy in Pr–Fe–Co–B–Zr HDDR powders L10
Perovskite
  the crystal structure of perovskites $ALaMnMoO_6$ (A=Sr, Ba) 62
Perovskite, Magnetic properties
  synthesis, crystal structure and magnetic properties of $Ba_3Ru_2O_9(O_2)$, $Ba_3Nb_2O_9(O_2)$ and $Ba_4Ru_2O_{10}$ related to the perovskite-type structure, and structural relationships with corresponding sulfides 25
Phase diagram
  the isothermal section (500°C) of the phase diagram of the Fe–Ho–V ternary system 195
  the Cu_2Se–HgSe–$SnSe_2$ system 197
Phase stability
  calculation of formation enthalpies and phase stability for Ru–Al alloys using an analytic embedded atom model 159
Plasma
  titanium carbide–iron composite coatings by reactive plasma spraying of ilmenite 121
  synthesis of titanium nitride in a thermal plasma reactor 126
Positron spectroscopy
  defects in $Sb_{2-x}Bi_xTe_3$ foils 239
Powder blending
  densification of a $Nd_{11}Fe_{78}NbCoB_8$-type sintered magnet by (Nd, Dy)-hydride additions using a powder blending technique 206
Powder neutron diffraction
  neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice, III. Orthorhombic Zr_3FeD_x (x=1.3, 2.5 and 5.0) with partially filled Re_3B-type structure 189
Preparation
  interaction between components in the systems Zr–Mo–P and Hf–Mo–P 163
Pressure–composition isotherms
  structural investigation and hydrogen capacity of YMg_2Ni_9 and $(Y_{0.5}Ca_{0.5})(MgCa)Ni_9$: new phases in the AB_2C_9 system isostructural with $LaMg_2Ni_9$ 264
Pure rare earth oxides from Sc_2O_3 to Lu_2O_3
  a comparative study for stepwise chlorinatxion–chemical vapor transport characteristics of pure rare earth oxides from Sc_2O_3 to Lu_2O_3 mediated by the vapor complexes $LnAl_nCl_{3n+3}$ 109

Quasibinary section
  crystal structure of $Ag_2In_2GeSe_6$ 181
Quasicrystal
  short-range order in a thin film of decagonal Al–Co–Ni quasicrystal: calculated from a structure model and measured with EXAFS 12
Quaternary compound
  the Cu_2Se–HgSe–$SnSe_2$ system 197

Rapid quenching
  hydrogenation of amorphous and nanocrystalline Mg-based alloys 243
Rare earth compounds
  phase equilibria in the Gd–Ti–Ge system at 1070 K 185
Rare earth iridium germanides
  magnetic properties of RIrGe (R=Gd–Er) compounds from neutron diffraction and magnetic measurements 18

Rare earth–iron intermetallics
new $RFe_{12-x}Ta_x$ compounds and their related hydrides and carbides (R=Tb to Lu, $0.5 \le x \le 0.7$) 38
Rare earth rhodium germanides
new ternary rare earth–rhodium–germanides: $Ce_2Rh_{1.5}Ge_4$ and Ho_2RhGe_2 L1
Rare earth ruthenium germanides
magnetic structure of HoRuGe and ErRuGe 48
Rare earth vapor complexes
a comparative study for stepwise chlorinatxion–chemical vapor transport characteristics of pure rare earth oxides from Sc_2O_3 to Lu_2O_3 mediated by the vapor complexes $LnAl_nCl_{3n}$, 109
Rate equation
novel electronic configuration in δ–Pu 1
Relative strain
mechanical milling of $Fe_{72}Pt_{28}$ alloy 256
Rietveld analysis
the crystal structure of perovskites ALaMnMoO$_6$ (A=Sr, Ba) 62
a new ferromagnetic polymorph of $CrSb_2$ synthesized under high pressure 145
Ru–Al alloys
calculation of formation enthalpies and phase stability for Ru–Al alloys using an analytic embedded atom model 159

$Sb_{2-x}Bi_xTe_3$
defects in $Sb_{2-x}Bi_xTe_3$ foils 239
Scanning and transmission electron microscopy
corrosion and hydrogen penetration properties of electro- and electroless depositions L7
Short-range order
investigation of the short-range order in the Ca–Sb melts 167
Single crystal
new ternary rare earth–rhodium–germanides: $Ce_2Rh_{1.5}Ge_4$ and Ho_2RhGe_2 L1
Sintered magnets
densification of a $Nd_{15}Fe_{77}NbCoB_7$-type sintered magnet by (Nd, Dy)-hydride additions using a powder blending technique 206
Sn
partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170
Sodium
structure refinements by the Rietveld method of partially substituted hydroxyapatite: $Ca_9Na_{0.5}(PO_4)_{4.5}(CO_3)_{1.5}(OH)_2$ 114
Solid solution
improvement of the cycle stability of vanadium-based alloy for nickel-metal hydride (Ni–MH) battery 215
Solid-state phase equilibria
interaction of lanthanum or cerium with nickel and arsenic: phase diagrams and structural chemistry 174
Spin-Hamiltonian
optical absorption and EPR spectral studies on vanadyl doped zinc phosphate glass 84
Stepwise chlorination–chemical vapor transport reaction
a comparative study for stepwise chlorinatxion–chemical vapor transport characteristics of pure rare earth oxides from Sc_2O_3 to Lu_2O_3 mediated by the vapor complexes $LnAl_nCl_{3n}$, 109
Structural disorder
mechanical milling of $Fe_{72}Pt_{28}$ alloy 256
Structure
first-principles bond-length correlation for the omega structure of the 4d-transition elements 6
Substitution
structure refinements by the Rietveld method of partially substituted hydroxyapatite: $Ca_9Na_{0.5}(PO_4)_{4.5}(CO_3)_{1.5}(OH)_2$ 114
Superconductivity
irreversibility fields in multifilamentary Nb–Ti wires 271
Surface analysis
preparation of $YBa_2Cu_3O_{7-\delta}$ powders by the thermal decomposition of a heteronuclear complex, $CuY_{1/3}Ba_{2/3}(dhbaen)(NO_3)_{1/3}(H_2O)_3$ 150
Surfaces and interfaces
corrosion and hydrogen penetration properties of electro- and electroless depositions L7

Ta
partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170
$TbNi_2Ge_2$
the (T,x) magnetic phase diagram of $TbNi_2Ge_2$ ($0.4<x<1$) compounds. A neutron study 51
Ternary rare earth nickel phosphides
antiferromagnetic order in the ternary phosphides $LnNi_2P_2$ (Ln=Tb, Dy, Ho, Er) 32
Ternary system
phase equilibria in the Gd–Ti–Ge system at 1070 K 185
Tetrahedral cavities
crystal structure of $Ag_2In_2GeSe_6$ 181
Thermal decomposition
preparation of $YBa_2Cu_3O_{7-\delta}$ powders by the thermal decomposition of a heteronuclear complex, $CuY_{1/3}Ba_{2/3}(dhbaen)(NO_3)_{1/3}(H_2O)_3$ 150
Thermodynamic constraints
characterization of the U–UO_2 phase diagram with oxygen isobars at high temperatures 79
Thin film
short-range order in a thin film of decagonal Al–Co–Ni quasicrystal: calculated from a structure model and measured with EXAFS 12
Thin films
corrosion and hydrogen penetration properties of electro- and electroless depositions L7
$ThMn_{12}$ compounds
new $RFe_{12-x}Ta_x$ compounds and their related hydrides and carbides (R=Tb to Lu, $0.5 \le x \le 0.7$) 38
Ti
partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170
Ti–Nb wires
irreversibility fields in multifilamentary Nb–Ti wires 271
Titanium carbide
titanium carbide–iron composite coatings by reactive plasma spraying of ilmenite 121
Titanium nitride
synthesis of titanium nitride in a thermal plasma reactor 126
Transition metal phosphide
interaction between components in the systems Zr–Mo–P and Hf–Mo–P 163
Transition metals
first-principles bond-length correlation for the omega structure of the 4d-transition elements 6
Transport properties
formation of the alloys $UCo_{1-x}In_x$ (x=0.5 and 1) and their characterization by X-ray diffraction, magnetization, and electrical-resistivity measurements 221

Uranium intermetallics
formation of the alloys $UCo_{1-x}In_x$ (x=0.5 and 1) and their characterization by X-ray diffraction, magnetization, and electrical-resistivity measurements 221
Uranium–oxygen phase diagram
characterization of the U–UO_2 phase diagram with oxygen isobars at high temperatures 79

Vanadium
improvement of the cycle stability of vanadium-based alloy for nickel-metal hydride (Ni–MH) battery 215
Vanadyl ion
optical absorption and EPR spectral studies on vanadyl doped zinc phosphate glass 84
V–Ni hydride
electrochemical behaviors of a V–Ni amorphous binary alloy 104

W
partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170

X-ray crystal structure analysis
structure and superstructure of $BiNdSr_2O_6$ and $BiLuSr_2O_6$ by X-ray powder diffraction and electron microscopy 137
X-ray diffraction
new ternary rare earth–rhodium–germanides: $Ce_4Rh_{13}Ge_9$ and Ho_2RhGe_2 L1
interaction of lanthanum or cerium with nickel and arsenic: phase diagrams and structural chemistry 174
structural investigation and hydrogen capacity of YMg_2Ni_9 and $(Y_{0.5}Ca_{0.5})(MgCa)Ni_9$: new phases in the AB_2C_9 system isostructural with $LaMg_2Ni_9$ 264
X-ray diffraction analysis
the isothermal section (500°C) of the phase diagram of the Fe–Ho–V ternary system 195
XRD
preparation of $YBa_2Cu_3O_{7-\delta}$ powders by the thermal decomposition of a heteronuclear complex, $CuY_{1/3}Ba_{2/3}(dhbaen)(NO_3)_{1/3}(H_2O)_3$ 150

$YBa_2Cu_3O_{7-\delta}$
preparation of $YBa_2Cu_3O_{7-\delta}$ powders by the thermal decomposition of a heteronuclear complex, $CuY_{1/3}Ba_{2/3}(dhbaen)(NO_3)_{1/3}(H_2O)_3$ 150

Zinc ferrite
the effect of the starting solution on the physico-chemical properties of zinc ferrite synthesized at low temperature 276
Zinc phosphate glass
optical absorption and EPR spectral studies on vanadyl doped zinc phosphate glass 84
Zirconium
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice, III. Orthorhombic Zr_3FeD_x ($x=1.3$, 2.5 and 5.0) with partially filled Re_3B-type structure 189